



Waltham Services
 317 Libbey Ind Prkway
 Suite 200
 Weymouth, MA 02189
 866-974-7378

Service Inspection Report
Detailed Service Report #2775614

Client: 25200107
 DENNIS YARMOUTH REGIONAL SCHOOLS
 WIXON SCHOOL
 296 STATON AVENUE
 S YARMOUTH, MA 02664-

Service Location: 25200107
 DENNIS YARMOUTH REGIONAL
 901 RTE 134
 WIXON MIDDLE SCHOOL
 SOUTH DENNIS, MA 02664-

Customer Signature:

Technician Signature:

Deborah G. Griecci

Thomas Perkins

DEBORAH GRIECCI

Thomas Perkins

Licenses/Certifications

MA - 29082

Time In: 11/12/2015 01:23 PM **Terms:** NET 10 DAYS
Time Out: 11/12/2015 02:08 PM **PO #:** contract

Order #	Service Description	Quantity	Unit Cost	Amount
A1969433	MONTHLY SERVICE YEARLY BILL	1	\$60.00	\$60.00
SubTotal:				\$60.00
Tax:				\$0.00
Total:				\$60.00
Amount Due:				\$0.00

Service Comments

Tech Comment: Inspected kitchen for reported unfounded wasps. Installed mouse monitors and snap traps to storage areas. No pest issues were confirmed at this time.

Materials Summary

Material Applied	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu Ft
GLUE BOARD FOR MICE	N/A	N/A	4.000 Each	N/A	N/A
	N/A	0.0000	N/A	N/A	N/A
<i>Target Pests: MICE</i>					
<i>Areas Applied: STORE ROOM</i>					
SNAP TRAP FOR MICE	N/A	N/A	4.000 Each	N/A	N/A
	N/A	0.0000	N/A	N/A	N/A
<i>Target Pests: MICE</i>					
<i>Areas Applied: STORE ROOM</i>					
<i>Weather: None, 0 MPH, No</i>					

Open Conditions

No Conditions
 Added or Updated
 this Service

Severity
 Responsibility

Created
 Last Inspected

Conditions Resolved This Visit

No Conditions
 Added or Updated
 this Service

Severity
 Responsibility

Created
 Last Inspected



Waltham Services
 317 Libbey Ind Prkway
 Suite 200
 Weymouth, MA 02189
 866-974-7378

Service Inspection Report Detailed Service Report #2775614

Conditions Resolved This Visit

	Severity Responsibility	Created Last Inspected
--	----------------------------	---------------------------

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions		
			Replaced	Removed	Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR		2:03 PM
INTERIOR -> KITCHEN		2:03 PM
INTERIOR -> KITCHEN -> PERIMETERS		2:03 PM
Comment: Reported wasp from in ceiling nest unfounded. Manager stated she was allergic to stinging insects and saw 1 wasp yesterday and 1 wasp today. This technician did not see any wasp problems at this time. Wasps.maybe.gaining entry via.open doors.or windows. No infestations were noted.		
INTERIOR -> KITCHEN -> STORE ROOM		2:00 PM
Comment: Installed mouse monitors and snap traps for unfounded reported mouse activity.		

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
None Noted					
None					

Material Application Details

EPA #	Material Applied	Active Ingredient	Application Method	Application Rate
	Lot #	AI Concentration	Application Equipment	Sq/Cu Ft
	GLUE BOARD FOR MICE	N/A	N/A	
	N/A	0.0000	N/A	N/A
<i>Target Pest: MICE</i>				
Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> KITCHEN -> STORE ROOM	4.0000 Each	N/A	Thomas Perkins	01:59 PM
Weather: 0°, None, 0 MPH, No				
	SNAP TRAP FOR MICE	N/A	N/A	
	N/A	0.0000	N/A	N/A
<i>Target Pest: MICE</i>				
Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> KITCHEN -> STORE ROOM	4.0000 Each	N/A	Thomas Perkins	01:59 PM
Weather: 0°, None, 0 MPH, No				