



Waltham Pest Services
REMIT TO: P.O BOX 540538
WALTHAM, MA 02454-0538
866-974-7378

Waltham Pest Services
42 Winter Street
Suite 15
Pembroke, MA 02359
781-337-1552

Service Inspection Report

INVOICE #:

WORK DATE: 03/01/2024

BILL-TO 118352

DENNIS YARMOUTH REGIONAL SCHOOL
Ellie Shallowe
296 STATION AVE
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7600

LOCATION 118352

DENNIS YARMOUTH REGIONAL SCHOOL ADM
Ellie Shallowe
296 STATION AVE
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7600

Time In: 3/1/2024 1:40:35 PM

Time Out: 3/1/2024 2:13:23 PM

Customer Signature

emailed service report

Technician Signature

Kevin Brown

License #:

Purchase Order	Terms	Service Description	Quantity
contract	30NET	MONTHLY SERVICE YEARLY BILL	1.00

GENERAL COMMENTS / INSTRUCTIONS

Inspected interior and exterior areas for evidence of pest activity. Checked and replaced glue board monitors. Checked mouse bait stations. Baited for ants in 1 office located at front right corner of building. See below for details

CONDITIONS / OBSERVATIONS	Reported	Severity	Responsibility	Reviewed
---------------------------	----------	----------	----------------	----------

Open

INTERIOR -> OFFICES	3/1/2024	Low	Client	3/1/2024
---------------------	----------	-----	--------	----------

Condition: food stored in office areas will attract insects and rodents

Action: Remove food from office areas

Comment:

PRODUCTS APPLICATION SUMMARY

Material	Lot #	EPA #	A.I. %	A.I. Conc.	Active Ingredient	Finished Qty	Undiluted Qty
Advion Ant Gel		100-1498	0.0500%	n/a	Indoxacarb	30.0000 Gram	
Areas Applied: OFFICES							
Target Pests: Ants							

PEST ACTIVITY	# Areas	# Devices	Pest Totals
---------------	---------	-----------	-------------

None Noted.

DEVICE INSPECTION SUMMARY

AREA COMMENTS

EXTERIOR: Inspected exterior for evidence of ant activity, rodent activity and other pest activity. None observed at this time

INTERIOR -> BREAKROOM: No evidence of pest activity found at this time. Checked and replaced glue boards

INTERIOR -> COMMON AREAS: No evidence of pest activity found at this time.

INTERIOR -> ENTRANCE : No evidence of pest activity found at this time.

INTERIOR -> OFFICES: Report of ants in office at front right corner of building. Ants reportedly noticed on warm days. Inspected area. Few pavement ants caught on previously placed glue boards no live ants observed baited office to control ant activity

INTERIOR -> UTILITY ROOM: No evidence of pest activity found at this time. Checked and replaced glue boards. Checked mouse bait stations

IPM plans: I reviewed the IPM plan before service.



Waltham Pest Services
REMIT TO: P.O BOX 540538
WALTHAM, MA 02454-0538
866-974-7378

Waltham Pest Services
42 Winter Street
Suite 15
Pembroke, MA 02359
781-337-1552

Service Inspection Report

INVOICE #:

WORK DATE: 03/01/2024

AREA COMMENTS

DEVICE INSPECTION EXCEPTIONS

None Noted.

INSPECTION DETAIL

Area	Time	Type	Status	Pest Findings
EXTERIOR				
	2:10:50 PM	Area	No Activity	
INTERIOR				
	2:05:56 PM	Area	No Activity	
INTERIOR -> BREAKROOM				
	2:03:44 PM	Area	No Activity	
INTERIOR -> COMMON AREAS				
	2:03:54 PM	Area	No Activity	
INTERIOR -> ENTRANCE				
	2:05:32 PM	Area	No Activity	
INTERIOR -> OFFICES				
	2:02:44 PM	Area	No Activity	
INTERIOR -> UTILITY ROOM				
	2:05:56 PM	Area	No Activity	
IPM plans				
	2:00:40 PM	Area	No Activity	
IPM plans -> IPM plan indoor 5/11/23				
	2:00:25 PM	Area	No Activity	
IPM plans -> IPM plan outdoor 5/11/23				
	2:00:27 PM	Area	No Activity	

PRODUCTS APPLIED

Material	A.I. %	Finished Qty	Application Equipment	Application Rate	Time
EPA #	A.I. Concentration	Undiluted Qty	Application Method	Sq/Cu/L Ft	Lot #
Advion Ant Gel	0.0500%	30.0000 Gram			2:03:25 PM
100-1498	n/a		CRACK & CREVICE		

Target Pests: Ants

Areas Applied: INTERIOR -> OFFICES

Comment: Baited office at front right corner of building