



Waltham Pest Services 42 Winter Street Suite 15 Pembroke, MA 02359 781-337-1552

Client:	25200106 DENNIS YARM BAKER SCHOC 296 STATION S YARMOUTH,)L AVENUE		HOOLS			Serv	vice Locat	D 8: E2	5200106 Ennis Yarmou 10 RTE 28 ZRA Baker Scho Est Dennis, M	OOL		-		
	F	Phone:	508-398-	7677						Phone	:	508-3	98-7677	7	
Custom	er Signature:		Те	chnician Signatu	ire:		Lice	nses/Cert	tificatio	ons					
-	-		14	R-				- 26175 - 26175							
			Kev	in Brown				e In: e Out:		/2022 09:19 AM /2022 09:59 AM			NET 10 contrac		
Order 3988391	#			e Description		1.00									
Servi	ce Comme	ents													
	mment:	Inspecte			pest activity. Checke eded. See below for o		ced gl	ue board m	nonitors	Checked roden	t devic	es and	placed	additiona	al glue
Mater	ials Sumr	mary		EPA #	Active Ingredient	Finished	Quan	tity	Applic	ation Method			Ap	plication	Rate
Material		•		Lot #	AI Concentration	Undilute	d Qua	ntity	Applic	ation Equipment	t		Sq,	/Cu/L Ft	
Contrac with Lumitrack			12455-133 wo1060 21541	bromadiolone 0.0050	3.000 Ou 0.000	3.000 Ounce 0.000		STATION N/A			N//	4			
	Target Pests: Areas Applied														
Open	Condition	IS								everity esponsibility				eated st Inspect	ed
No Cond Added of this Serv	r Updated														
Condi	tions Res	olved	This Vis	sit						everity esponsibility				eated st Inspect	ed
No Cona Added oi this Serv	r Updated													·	
	Summary	Ç	Juantity	Device	e Summary	Wi		Without Activity I	Total Inspecte	d Repla		vice Exc Remov	eptions ed S	s kipped	
None No	oted			Interior R - Total	odent Trap (multi-c s		0 0	0 0	(()	0 0		0 0	0 0	
Additiona	al pest findings	may have	been obse	rved. Please see o	conditions and comm	ents for mor	e deta	ails.							

Area Inspections





Waltham Pest Services 42 Winter Street Suite 15 Pembroke, MA 02359 781-337-1552

Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR		9:57 AM
INTERIOR -> BOILER ROOM		9:54 AM
Comment: No evidence of pest activity found at this time.		
INTERIOR -> CLASS ROOMS		9:57 AM
INTERIOR -> CLASS ROOMS -> 126		9:57 AM
Comment: Report of mouse activity in area. Checked existing traps. Placed addition	al mouse bait stations and glue boards in area	
INTERIOR -> CLASS ROOMS -> 128		9:56 AM
INTERIOR -> COMMON AREAS		9:54 AM
INTERIOR -> KITCHEN		9:56 AM
INTERIOR -> KITCHEN -> COOKING LINE		9:54 AM
INTERIOR -> KITCHEN -> DISHWASH		9:54 AM
INTERIOR -> KITCHEN -> FOOD PREP		9:54 AM
INTERIOR -> KITCHEN -> SERVING		9:54 AM
INTERIOR -> KITCHEN -> STORE ROOM		9:56 AM
Comment: Report of a mouse in food storage. No evidence of pest activity observe	ed. Placed additional glue boards in area	
INTERIOR -> RECEIVING		9:56 AM
IPM PLANS		9:54 AM
IPM PLANS -> Indoor IPM plan 2/3/22		9:54 AM
IPM PLANS -> Outdoor IPM plan 2/3/22		9:54 AM

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time	
None I	Voted		None			

Material Application Details

Material Applied	Active Ingredient	AI%	Applicat	ion Method	Application Rate Sq/Cu/L Ft	
EPA #	Lot #	AI Concentration	Applicat	ion Equipment		
Contrac with Lumitrack	bromadiolone	0.0050%	STATIO	N		
12455-133	wo1060 21541	N/A	N/A			
Target Pest: MICE						
Area/Device Name		Finished Quantity	Undiluted Quantity	Technician Name	Time	
INTERIOR -> CLAS	SS ROOMS -> 126;	3.0000 Ounce	N/A	Kevin Brown	09:57 AM	
Comment:	Placed 3 mouse bait stati	ons in area				
Weather:	0°, 0 MPH					