

Waltham Pest Services REMIT TO: P.O BOX 540538 WALTHAM, MA 02454-0538 866-974-7378 Waltham Pest Services 42 Winter Street Suite 15 Pembroke, MA 02359 781-337-1552

Tech Comment: Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity observed. No reports of activity received. Ipm plans will expire soon. Please update the ipm plans Materials Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment Sq/Cu/L Ft Open Conditions Severity Created Responsibility Last Inspected No Conditions Resolved This Visit Severity Created Responsibility Last Inspected No Conditions Added or Updated Updated Updated Inspected Responsibility Last Inspected No Conditions Added or Updated Updated Total Device Exceptions Activity Activity Inspected Replaced Removed Skipped None Noted None Noted None Noted None Noted Skipped Activity Activity Inspected Replaced Removed Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Material Suppetions Activity Strings Time Material Inspections Pest Findings Time <t< th=""><th colspan="4">Client: 25200117 DENNIS YARMOUTH REGIONAL SCHOOLS STATION AVE ELEMENT 296 STATION AVENUE S YARMOUTH, MA 02664-</th><th colspan="4">Service Location: 25200117 DENNIS YARMOUTH REGIONAL STATION AVE ELEMENTARY 276 STATION AVENUE SOUTH YARMOUTH, MA 02664</th></t<>	Client: 25200117 DENNIS YARMOUTH REGIONAL SCHOOLS STATION AVE ELEMENT 296 STATION AVENUE S YARMOUTH, MA 02664-				Service Location: 25200117 DENNIS YARMOUTH REGIONAL STATION AVE ELEMENTARY 276 STATION AVENUE SOUTH YARMOUTH, MA 02664				
Cardinal signature: Technicial Signature: MA - 26175 MA - 26175 MA - 26175 MA - 26175 MA MA - 26175 MA - 26175 MA MA - 26175 MA - 26175 Conder # Service Description MONTHLY SERVICE YEARLY BILL 1.00 Service Comments Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity observed. No reports of activity received. Ipm plans will expire soon. Please update the lipm plans Materials Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Vaterial Applied Lot # At Concentration Undituted Quantity Application Equipment Sql/Lu/L Pt Depen Conditions Severity Created Responsibility Created Last Inspected Method Appled No Conditions Severity Created Responsibility Last Inspected Method Appled No Conditions Severity Created Responsibility Last Inspected Method Appled No Conditions Severity Created Responsibility Last Inspected Added or Updated his Service No Revice Method Appleaded Method No Conditions Severity Created Replaced Removed Skipped Method	Phone:	508-398-7670							
MA 26175 Kevin Brown Time In: 2/2/2023 03:47 PM Terms: NET 10 DAYS Order # Service Description Quantity Asson 3000 MONTHLY SERVICE YEARLY BILL 1.00 Service Comments Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity of activity received. Ign plans will expire soon. Please update the ipm plans Material Summary EPA # Active Ingredient Finished Quantity Application Rate Material Applied Lot # AI Concentration Unditude Quantity Application Rate Open Conditions Responsibility Last Inspected No conditions Responsibility Last Inspected No Conditions Severity Created No Conditions Severity Created No Conditions Responsibility Last Inspected No Conditions Nore Noted Nore Noted None Noted Nore Noted Replaced Removed Skipped None Noted None Noted Pest Findings Time None Noted None Noted Pest Findings Time None Noted None Noted Activity Inspected <td< th=""><th>Customer Signature:</th><th>Technician Si</th><th>gnature:</th><th></th><th>Licenses/0</th><th>Certifications</th><th></th><th></th><th></th></td<>	Customer Signature:	Technician Si	gnature:		Licenses/0	Certifications			
Time Out: 2/2/2023 05.7 PM Tentils. Not To DATS Order # AS0043000 Service Description MONTHLY SERVICE YEARLY BILL Quantity 1.00 Service Comments: Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity observed. No reports of activity received. Ipm plans will expire soon. Please update the ipm plans Material Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment SqCu/L R Open Conditions No conditions Responsibility Last Inspected No Conditions Responsibility Last Inspected No Conditions No conditions Responsibility Last Inspected No Conditions No Pointed Nore Noted Nore Noted Replaced Removed Skipped Nore Noted Nore Noted Nore Noted Nore Noted Replaced Removed Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Pest Findings Time Area Inspected Pest Findings Time 4:10 PM NITERIOR CLASS ROOMS 3:57 PM		Ku Br							
ASS0043000 MONTHLY SERVICE YEARLY BILL 1.00 Service Comments Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity observed. No reports of activity received. Ipm plans will expire soon. Please update the ipm plans Materials Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment Sq/Cu/L Ft Open Conditions Severity Created Responsibility Last Inspected Vo Conditions Responsibility Last Inspected Last Inspected Vo Conditions Severity Created Last Inspected Vo Conditions Responsibility Last Inspected Last Inspected Vo Conditions Active Judated Activity Activity Inspected Responsibility Last Inspected Vo Conditions Quantity Quantity Device Summary With With Without Total Device Exceptions None Noted None Noted None Noted None Noted Replaced Renoved Skipped Activi		Kevin Brown				11			
Tech Comment: Inspected kitchen and receiving areas for evidence of pest activity. Checked and replaced glue board monitors. No evidence of pest activity observed. No reports of activity received. Ipm plans will expire soon. Please update the ipm plans Materials Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment Sq/Cu/L Ft Open Conditions Severity Created Responsibility Last Inspected No Conditions Responsibility Last Inspected Last Inspected No Conditions Severity Created Last Inspected No Conditions Responsibility Last Inspected Last Inspected No Conditions Responsibility Last Inspected Last Inspected None Noted Severity Created Replaced Removed Skipped None Noted None Noted None Noted Replaced Removed Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspected Pest Findings Time Material Inspected Pest Findings 4:10 PM 3:57 PM 3:57 PM			-	-					
observed. No reports of activity received. Ipm plans will expire soon. Please update the ipm plans Application Method Application Rate Material Summary EPA # Active Ingredient Finished Quantity Application Method Application Rate Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment Sg/Cu/L Ft Open Conditions Severity Created Responsibility Last Inspected No Conditions Resolved This Visit Severity Created Created No Conditions Added or Updated this Service Severity Created Last Inspected No Conditions Added or Updated this Service Severity Created Last Inspected No Conditions Added or Updated this Service Severity Created Last Inspected No Conditions Added or Updated this Service Severity Last Inspected Last Inspected None Noted None Noted None Noted Replaced Removed Skipped Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspections Time Area Inspected Pest Findings Time INTERIOR 4:10 PM	Service Comments								
Material Applied Lot # AI Concentration Undiluted Quantity Application Equipment Sq/Cu/L Ft Open Conditions Severity Created Responsibility Last Inspected No Conditions Added or Updated this Service Severity Created Conditions Resolved This Visit Severity Created Last Inspected No Conditions Responsibility Last Inspected None Noted None Noted Activity Inspected Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspections Time Area Inspections Pest Findings Time INTERIOR 4:10 PM 3:57 PM							monitors. No	o evidenco	e of pest activity
Open Conditions Severity Created No Conditions Responsibility Last Inspected No Conditions Severity Created Added or Updated Severity Created No Conditions Resolved This Visit Severity Created No Conditions Responsibility Last Inspected No Conditions Responsibility Last Inspected No Conditions Responsibility Last Inspected No Conditions Added or Updated this Service Pest Summary Quantity Device Summary With None Noted None Noted Replaced Removed Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspected Pest Findings Area Inspected Pest Findings Time Time INTERIOR 4:10 PM 3:57 PM 3:57 PM	Materials Summary	EPA #	Active Ingredient	Finished	Quantity	Application N	Method		Application Rate
Open Conditions Responsibility Last Inspected No Conditions Severity Created Added or Updated Severity Created It is Service Severity Created No Conditions Responsibility Last Inspected No Conditions Responsibility Last Inspected No Conditions Responsibility Last Inspected No Conditions Activity Total Device Exceptions Added or Updated Inspected None Noted Responsibility Last Inspected Pest Summary Quantity Device Summary With With Total Device Exceptions None Noted None Noted None Noted Replaced Removed Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspections Time Area Inspections Pest Findings Time 4:10 PM INTERIOR 2:57 PM 3:57 PM 1:57 PM	Material Applied	Lot #	AI Concentration	Undiluted	l Quantity	Application E	Equipment		Sq/Cu/L Ft
Conditions Resolved This Visit Responsibility Last Inspected No Conditions Added or Updated this Service No Conditions Added or Updated this Service Note Noted With With without Total Device Exceptions Pest Summary None Noted Quantity None Noted Device Summary With Activity With without Total Device Exceptions Additional pest findings may have been observed. Please see conditions and comments for more details. Replaced Removed Skipped Area Inspected Pest Findings Time INTERIOR 4:10 PM 3:57 PM	Open Conditions					•			
Conditions Resolved This Visit Responsibility Last Inspected No Conditions Added or Updated this Service Mith With With Total Device Exceptions Pest Summary None Noted Quantity Device Summary With With Total Device Exceptions Additional pest findings may have been observed. Please see conditions and comments for more details. Activity Activity Inspected Removed Skipped Area Inspected None Pest Findings Time INTERIOR 4:10 PM 3:57 PM 3:57 PM	Added or Updated								
No Conditions Added or Updated this Service Quantity Device Summary With Activity Without Total Device Exceptions Pest Summary None Noted Quantity Device Summary Activity Activity Inspected Replaced Removed Skipped Additional pest findings may have been observed. Please see conditions and comments for more details. Activity Inspections Image: Comment of the set of	Conditions Resolved	l This Visit				•			
Pest Summary Quantity Device Summary Activity Activity Inspected Replaced Removed Skipped None Noted Non						Respond	<u>Junity</u>		
None Noted None Noted Additional pest findings may have been observed. Please see conditions and comments for more details. Area Inspections Area Inspected Pest Findings INTERIOR 4:10 PM INTERIOR -> CLASS ROOMS 3:57 PM						1. T.1.1		Device E	vcentions
INTERIOR 4:10 PM INTERIOR -> CLASS ROOMS 3:57 PM	this Service Pest Summary	Quantity De	vice Summary				Replace	ed Remo	•
Area InspectedPest FindingsTimeINTERIOR4:10 PMINTERIOR -> CLASS ROOMS3:57 PM	this Service Pest Summary		-				Replace	ed Remo	•
INTERIOR 4:10 PM INTERIOR -> CLASS ROOMS 3:57 PM	this Service Pest Summary None Noted	Nor	e Noted	Activ	ity Activit		Replace	ed Remo	•
INTERIOR -> CLASS ROOMS 3:57 PM	this Service Pest Summary None Noted Additional pest findings may hav Area Inspections	Nor	e Noted	Activ	ity Activit	y Inspected	·	ed Remo	oved Skipped
	this Service Pest Summary None Noted Additional pest findings may hav Area Inspections Area Inspected	Nor	e Noted	Activ	ity Activit	y Inspected	·	ed Remo	Time
	this Service Pest Summary None Noted Additional pest findings may hav Area Inspections Area Inspected INTERIOR	Nor	e Noted	Activ	ity Activit	y Inspected	·	ed Remo	Time 4:10 PM

Comment: No evidence of pest activity found at this time. Checked and replaced glue board monitors





Waltham Pest Services 42 Winter Street Suite 15 Pembroke, MA 02359 781-337-1552

Area Inspected	Pest Findings	Time
INTERIOR -> KITCHEN -> CAFETERIA		4:10 PM
INTERIOR -> KITCHEN -> DISHWASH		4:10 PM
INTERIOR -> KITCHEN -> FOOD PREP AREAS		4:10 PM
INTERIOR -> KITCHEN -> RECEIVING		4:10 PM
INTERIOR -> KITCHEN -> STORE ROOM		4:10 PM
INTERIOR -> receiving area		3:57 PM
Comment: No evidence of pest activity found at this time.		
IPM PLANS		3:57 PM
Comment: Ipm plans expire tomorrow. Please update the ipm plans		
IPM PLANS -> Indoor IPM plan updated 2/3/22		3:57 PM
IPM PLANS -> Outdoor IPM plan updated 2/3/22		3:57 PM

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time	
None I	Voted		None			

Material Application Details

Material Applied	Active Ingredient		AI%	Application Method	Application Rate
EPA #	Lot #		AI Concentration	Application Equipment	Sq/Cu/L Ft
None Noted					
		N/A	N/A		
Weather:					